

COMMON MADIA

Madia elegans D. Don ex
Lindl.

plant symbol = MAEL

Contributed By: USDA, NRCS, National Plant Data Center & Rancho Santa Ana Botanic Garden



Used with permission of the publishers
© Stanford University
Abrams & Ferris (1960)

Uses

Ethnobotanic: There are several *Madia* species and several subspecies of *Madia elegans*. They are each called “tarweed,” because of the intense stickiness of the plant. The tarweeds produce abundant seed, are agreeably aromatic and oily, and form an important part of the small seeds used in pinole. Tarweed and other seeds in pinole formed a staple food in the diet of the Indians of the Pacific Coast. In particular, the seeds of gumweed (*Madia elegans* ssp. *densifolia* (E. Greene) Keck) were among the most valued by the Miwok people for pinole. The Hupa, Cahuilla, Digueño, Chumash, Costanoan, Kawaiisu, and Maidu tribes in California made pinole from *Madia* species.

Common madia seeds were harvested by women in late summer during a period of a fortnight. A seed beater and a basket were used to gather the seeds. Then, the seeds were winnowed and ground very fine in a bedrock mortar with a stone pestle. Both winnowing and sifting were done in a flat circular

basket plaque. The sifting was done by jiggling the plaque so that the big fragments separated from the fine meal. The large fragments were pulverized into meal and eaten dry. The seeds were kept in storage in every household, and eaten all year. Common madia roots were also eaten.

When the seeds had matured but the plants were still green, the Hupa burned the areas where common madia grew. Seeds gathered from the scorched plants needed no further parching before being crushed into flour. The Yokuts added common madia seeds to manzanita cider for flavoring.

Wildlife: The dark seeds (achenes) of tarweeds are used as food by many birds and small mammals, including mourning doves, quail, blackbirds, finches, Oregon juncos, California horned larks, western meadowlarks, American pipits, sparrows, towhees, chipmunks, ground squirrels, and mice. Cottontail rabbits, ground squirrels, and chipmunks eat the plants.

Status

Please consult the PLANTS Web site and your State Department of Natural Resources for this plant’s current status, such as, state noxious status and wetland indicator values.

Description

General: Sunflower Family (Asteraceae). *Madia elegans* is an annual herb, 1-2.5 dm tall, and strongly scented. The stems are simple to branched, often very leafy, softly hairy below, and with sparsely to densely stalked glandular sticky hairs above. Leaves are 2-10 cm long, linear, entire to serrate, soft-hairy to bristly, sometimes with glands. The floral heads are in open, flat-topped cymes with 5-21 yellow ray flowers and 25-30 yellow or maroon disk flowers with yellow or black anthers. The 2.5-5 mm fruits are black or dark brown achenes, sometimes mottled, and compressed or 3-angled.

Distribution

For current distribution, please consult the Plant Profile page for this species on the PLANTS Web site. *Madia elegans* occurs in grasslands and open forest below 3350 m in elevation. It flowers in summer and early autumn, and grows from northern Oregon through the California Floristic Province and Great Basin Province south to Baja California.

Establishment

Adaptation: *Madia elegans* ssp. *densifolia* grows on grassy slopes and valleys at elevations below 1000 m. This subspecies occurs in the California Floristic Province and Great Basin Province and in Oregon. This plant flowers in summer and early autumn.

General: *Madia* species seeds ripen in late summer, usually in August in California. After gathering, seeds can be stored in a cool, dry place for at least a year and still maintain viability. *Madia* species require well-drained, fairly dry soils with full sun. These annual species produce prolific seeds, and can be planted directly in the soil or in seed flats. Plant seeds at the soil surface or plant 1/8" to 1/4" in a well-drained soil. Water seedlings as the soil dries to stimulate growth. It is best to plant seeds in the fall. Fertilization stimulates growth and seed production.

Management

Traditional Resource Management: Resource management of common *madia* includes the following:

- Seeds were distributed during the process of gathering seeds through seed beating.
- Burning occurred during September-October after seeds ripened and were harvested. Grassland species were burned for plant improvement by the tribes throughout California.
- Seeds were planted from wild plants. A Diegueño woman reported her people always cleared a small spot near their dwelling to plant seeds of plants with greens, seeds, and roots.
- Ownership of seed-gathering grounds promoted long term care and sustainable harvest practices.

Cultivars, Improved and Selected Materials (and area of origin)

This species is available from selected native plant nurseries within its range. Please check the Vendor Database, expected to be on-line through the PLANTS Web site in 2001 by clicking on Plant Materials.

References

Abrams, L. & R.S. Ferris 1960. *Illustrated flora of the Pacific states*. 4 Vols. Stanford University Press, Palo Alto, California.

Anderson, K. 1993. *Native Californians as ancient and contemporary cultivators*. IN T.C. Blackburn and K. Anderson (eds.) *Before the wilderness*. Environmental management by Native Californians. pp. 151-174. Ballena Press.

Barrett, S.A. & E.W. Gifford 1933. *Miwok material culture Indian life of the Yosemite region*. Yosemite Association, Yosemite National Park, California. 388 pp.

Barrows, D.P. 1977. *Ethno-botany of the Coahuilla Indians*. Malki Museum Press. Morongo Indian Reservation, Banning, California. 82 pp.

Bean, L.J. & H.W. Lawton 1993. *Some explanations for the rise of cultural complexity in native California with comments on proto-agriculture and agriculture*. IN: T.C. Blackburn & K. Anderson (eds.) *Before the wilderness*. Environmental management by Native Californians. pp. 27-54. Ballena Press.

Hartmann, H.T., D.E. Kester, & T. Davies, Jr. 1990. *Plant propagation principles and practices*. Prentice Hall, Englewood Cliffs, New Jersey. 647 pp.

Hickman, J. C. (ed.) 1993. *The Jepson manual. Higher plants of California*. University of California Press. 1400 pp.

Martin, A.C., H.S. Zim, & A.L. Nelson 1951. *American wildlife and plants. A guide to wildlife food habits*. Dover Publications, Inc., New York. 500 pp.

Mayer, K.E. & W.F. Laudenslayer Jr. (eds.) 1988. *A guide to wildlife habitats of California*. USDA Forest Service, California Department of Fish and Game, and PG&E.

Murphy, E.V.A. 1959. *Indian uses of native plants*. Mendocino County Historical Society. 81 pp.

Strike, S.S. 1994. *Ethnobotany of the California Indians. Volume 2. Aboriginal uses of California's indigenous plants*. Koeltz Scientific Books, USA/Germany. 220 pp.

Timbrook, J., J.R. Johnson, & D.D. Earle 1993. *Vegetation burning by the Chumash*. IN: T.C. Blackburn and K. Anderson (eds.) *Before the Wilderness*. Environmental Management by Native Californians. pp. 117-150. Ballena Press.

Prepared By

Michelle Stevens

formerly USDA, NRCS, National Plant Data Center

Bart O'Brien

Director of Horticulture, Rancho Santa Ana Botanic Garden, Claremont, California

Species Coordinator

M. Kat Anderson

USDA, NRCS, National Plant Data Center
c/o Environmental Horticulture Department,
University of California, Davis, California

Edited: 05dec00 jsp

For more information about this and other plants, please contact your local NRCS field office or Conservation District, and visit the PLANTS <<http://plants.usda.gov>> and Plant Materials Program Web sites <<http://Plant-Materials.nrcs.usda.gov>>.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.